



Coronavirus

Important Information for our customers

4/14/2020

Ocean Janitorial Supply wants to keep you informed so you are best equipped with the knowledge that can help you protect yourselves, your customers, and our community. We have been fielding hundreds of phone calls from our concerned and somewhat anxious customers and colleagues. It is important to us that we share the information we get from our partnered manufacturers. They are our direct line to organizations, such as the CDC, WHO and the EPA, that give them up-to-date information regarding this disease.

As of April 14, 2020 the New York Corona Virus death toll has surpassed 10,000. As devastating as this is, there are over 17,000 that have recovered. The US has over 600,000 confirmed cases with a death toll of over 26,000. Worldwide, the number of cases is nearing 2 million with over 126,800 deaths. According to the Centers for Disease Control and Prevention (CDC), the 2019 Novel (new) Coronavirus that has been named "SARS- CoV-2", is the cause of the respiratory disease named "COVID-19", which was originally discovered in Wuhan, China.

At this time, Governor Cuomo has ordered the extending all NYS on Pause functions until May 15th. He has also directed all New Yorkers to wear masks or face coverings on public transportation systems and while taking private transportation or riding in for-hire vehicles. Additionally, all operators of public systems, private carriers and for-hire vehicles must wear a mask or face covering at all times while working.

Since there still isn't a vaccine to protect against COVID-19 and no medications approved to treat it, **nonpharmaceutical interventions** (NPIs) would be the most important response strategy.

Three types of important NPIs are: Personal NPIs, Community NPIs, and Environmental NPIs.

Personal NPIs are everyday preventive actions, apart from pharmaceutical interventions such as getting vaccinated and taking medicine that can help keep yourself and others from getting and spreading respiratory illnesses like the flu. They include:

- *Staying home* when you are sick.
- *Covering coughs and sneezes* with a tissue.
- *Washing hands* with soap and water or using hand sanitizer when soap and water is not available.

Community NPIs are policies and strategies, apart from pharmaceutical interventions such as vaccination and medical treatment delivery methods, that organizations and communities put into place to help slow the spread of illness during an infectious disease outbreak. Two of the most commonly used community NPIs include:

- *Social distancing*: Creating ways to increase distance between people in settings where people commonly come into close contact with one another. Specific priority settings include schools, workplaces, events, meetings, and other places where people gather.
- *Closures*: Temporarily closing child care centers, schools, places of worship, sporting events, concerts, festivals, conferences, and other settings where people gather.

Environmental NPIs include routine surface cleaning that helps to eliminate the flu virus from frequently touched surfaces and objects in childcare facilities, schools, workplaces, and other settings where people regularly gather.

Similar coronaviruses such as Severe Acute Respiratory Syndrome (SARS), Middle East Respiratory Syndrome (MERS) coronavirus, or endemic human coronaviruses (HCoV) can survive on surfaces for up to 9 days. There is much more to learn about the transmissibility, severity, and other features associated with SARS – CoV 2 and investigations are ongoing. The best way to prevent infection is to **avoid exposure**.

The CDC recommends the following measures to prevent the spread of respiratory viruses:

- Wash your hands often with soap and water for at least 20 seconds, especially after going to the restroom; before eating; and after blowing your nose, coughing, or sneezing.
- If soap and water are not readily available, use an alcohol-based hand sanitizer with at least 60% alcohol*. Always wash hands with soap and water if hands are visibly dirty.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Avoid close contact with people who are sick.
- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe.**

Ocean Janitorial Supply List of Recommended Products

3M:

The 3M disinfectant cleaners that meet the U.S. EPA’s Emerging Pathogen Policy and are recommended for use against Coronavirus (2019 nCoV) on non-critical, hard, non-porous surfaces are as follows:

Product Name	US EPA Registration Number	Supporting Viral Claim
3M™ Quat Disinfectant Cleaner Concentrate (5L, 5H, 5A)	6836-78-10350	Norovirus or Rotavirus
3M™ Neutral Quat Disinfectant Cleaner Concentrate (23L, 23H, 23A)	47371-129-10350	Rotavirus or Adenovirus Type 7
3M™ HB Quat Disinfectant Cleaner Concentrate (25L, 25H, 25A)	61178-5-10350	Rotavirus or Norovirus
3M™ Disinfectant Cleaner RCT Concentrate (40L, 40A)	6836-349-10350	Rotavirus
3M™ Disinfectant Cleaner RCT Concentrate	6836-349-10350	Rotavirus or Enterovirus D68 or Norovirus (1:128 dilution)
3M™ MBS Disinfectant Cleaner Fresh Scent Concentrate (41L, 41H, 41A)	6836-361-10350	Norovirus or Rotavirus
3M™ MBS Disinfectant Cleaner Concentrate (42L, 42H, 42A)	6836-361-10350	Norovirus or Rotavirus
3M™ C. diff Solution Tablets	71847-6-10350	Norovirus

Other 3M disinfectant cleaners could be added to this list when officially confirmed.

BUCKEYE INTERNATIONAL:

Disinfectant	EPA Registration Number	Virus to Use Directions Against/ Dilution Rate/ Contact Time
Buckeye Eco Neutral Disinfectant E23/S23	47371-129-559	Adenovirus type 7 ATCC VR-7/ 2 oz./gal./ 10 minutes
Buckeye Eco One-Step Disinfectant-Deodorizer-Cleaner E22, S22	6836-78-559	Feline calicivirus (surrogate for Norwalk virus)/ ½ oz./gal./ 10 minutes
Buckeye Sanicare Quat-256	47371-129-559	Adenovirus type 7 ATCC VR-7/ 2 oz./gal./ 10 minutes
Buckeye Sanicare Quat-128	47371-130-559	Adenovirus type 7 ATCC VR-7/ 4 oz./gal./ 10 minutes
Buckeye Sanicare Lemon Quat	47371-131-559	Adenovirus type 7 ATCC VR-7/ 8 oz./gal./ 10 minutes
Buckeye Sanicare Mint Quat	47371-131-559	Adenovirus type 7 ATCC VR-7/ 8 oz./gal./

		10 minutes
Buckeye Sanicare Pine Quat	47371-131-559	Adenovirus type 7 ATCC VR-7/ 8 oz./gal./ 10 minutes
Buckeye Terminator	6836-75-559	Feline calicivirus (surrogate for Norwalk virus)/ 2 oz./gal./ 10 minutes
Buckeye Sani-Q2	6836-266-559	Norovirus/ 3 oz./5 gal./ 10 minutes
Buckeye Sanicare TBX	1839-83-559	Human Rotavirus/ 3 min. or Rhinovirus Type 39/3 min. or Hepatitis A Virus/ 10 min. or Poliovirus Type 1/ 10 min. or Canine Parvovirus/ 10 min.
Buckeye Sanicare Disinfecting Wipes	6836-313-559	Rotavirus/ 10 min.

VITAL OXIDE:

Product Name	EPA Reg Number	Viral Claim
Vital Oxide	82972-1	Norovirus Feline Calicivirus and Canine Parvovirus, Strain Cornell-780916, ATCC VR-2016/ 10 min.

OCEAN JANITORIAL SUPPLY, INC.
2775 SUNRISE HIGHWAY
ISLIP TERRACE, NY 11752
631-581-4276

WWW.OCEANJANITORIAL.COM